



## True or False



The average hive has around 50,000 worker bees.



True. There are also around 800 drones.

twinkl.com



## True or False



A queen bee lays just one egg per day.



False. She can lay 2000 eggs per day!


twinkl.com



## True or False



Worker bees feed the larvae a mixture called bee bread.



True. It is made up of pollen, nectar and saliva.

twinkl.com



## True or False



Queen bees take longest to emerge from pupae.



False. Queens take around 16 days, workers take around 18 days and drones can take 23 days.

twinkl.com



# True or False



Worker bees live for around six weeks.



True. They stay in the hive for three weeks, then they leave to find nectar.



# True or False



Drones live longer than queens.



False. Queen bees can live for five years, while drones live for about 50 days.



# True or False



Queen bees are created by workers.



True. Worker bees feed some larvae Royal Jelly until they are adults, which makes them develop into queen bees.



# True or False



One bee will make a teaspoon of honey every day.




False. One bee will only make half a teaspoon of honey in its entire life!



# True or False



Only drones have stings.



False. Only queens and worker bees have stings.



# True or False



Bees make honey from nectar.



True. Worker bees regurgitate honey into the honeycomb cells.



# True or False



Only queen bumblebees survive the winter.



True. Worker and drone bumblebees die in the winter, nearly all honey bees live through it.



# True or False



Honey bees only visit one flower before coming back to the hive.



False. They will visit between 50 to 100 flowers on one trip from the hive.